



**Please use the weight estimator  
below each time you fill your  
customers' tires.**



**\*\* This will provide an estimate of the amount of product required to fully flatproof your tires. Industrial wheels and rims are not all the same. When calculating a tire size for polyurethane tire fill material, drop center wheels require additional material over standard wheels. While a great deal of effort has gone into the development of this estimator to make it as reliable as possible, Gallagher Tire, Inc makes no warranty, either expressed or implied, as to its accuracy or suitability for use. \*\***

Size of Tire	Avg. Weight lbs
<b>4" inch</b>	
2.80/2.50-4	4
3.00-4	6
4.10/3.50-4	8
4.80/4.00-4	12
5.00-4	15
6.00-4	34
8.00-4	44
8-3.00-4	6
9-3.50-4	7
10-3.50-4	6
11-4.00-4	10

5" inch	
3.40/3.00-5	6
3.50/3.00-5	9
4.10/3.50-5	9
5.00-5	17
6.50-5	12
11-4.00-5	8
13-5.00-5	10
20-5.5	26
24-5.50-5	24

6" inch	
4.00-6	13
4.10/3.50-6	9
4.10/4.50-6	10
4.10-8.50-6	10
5.30/4.50-6	18
6.00-6	33
6.90-6	38
7.00-6	42
8.00-6	48
8.50-6	69
9.00-6	77
12-11.00-6	40
12-6.00-6	12
13-4.00-6	12
13-5.00-6	20
13-6.50-6	22
13-7.70-6	18
13-8.00-6	35
14-5.00-6	17
14-8.00-6	22
14.5-5.50-6	19
15-6.00-6	26
16-4.50-6	28
17.5-6.25-6	30
18-7.00-6	33
18-7/4.50-6	35
26-6.50-6	46
145/70-6	13
220-50-6	40

7" inch	
4.80/4.50-7	16
10.00-7	34
23.5-8.50-7	36

7.7" inch	
28-7.7	61

Size of Tire	Avg. Weight lbs
<b>8" inch</b>	
3.50-8	9
4.10-8	16
4.50-8	19
<b>4.80/4.00-8</b>	<b>23</b>
5.70-8	36
6.50-8	40
7.00-8	47
15-4.5-8	18
15-6.00-8	26
16.5-6.5-8	24
16-4.40-8	15
16-5.00-8	18
16-5.50-8	25
16-6.50-8	30
16-7.50-8	29
17.5-5.75-8	29
18.5-5.75-8	37
18.5-8.5-8	53
18.5-9.5-8	55
18-10.00-8	57
18-11.00-8	59
18-6.50-8	52
18-7-8	55
18-8.50-8	53
18-9.50-8	55
18-9-8	77
19.5-6.75-8	50
20-10.00-8	62
20-11.00-8	69
20-7.00-8	54
20-8.00-8	60
21-11.00-8	81
21-12.00-8	83
21-7.00-8	77
21-8.00-8	77
22-10.00-8	80
22.5-10-8	85
22-11.00-8	89
22-12.00-8	92
22-8.00-8	80
25-24.00-8	119

9" inch	
4.00/4.80-9	21
5.00-9	34
6.00-9	47
15-6.50-9	51
18-11.00-9	63
20-11.00-9	78
20-7-9	42
21-8-9	50
21-9-9	58
22-11.00-9	82
22-7-9	51
24-13.00-9	117
25-12.00-9	115
25-13-9	121
34-9.9	153

Size of Tire	Avg. Weight lbs
<b>10" inch</b>	
1.45-10	28
3.00/3.50-10	20
4.50-10	25
5.00-10	34
6.50-10	60
7.50-10	79
8.50-10	93
9.00-10	109
15L-10	161
18-10.00-10	71
18-11.00-10	72
18-4.25-10	20
18-4.4-10	18
18-8.50-10	70
19.56.75-10	33
20.5-8.0-10	62
20-10.00-10	57
20-11.00-10	64
20-14.00-10	175
205/50-10	79
20-8.00-10	46
21-7.25-10	46
21-7-10	44
21-8-10	54
22-10.00-10	72
22-11.00-10	80
22-6.75-10	52
22-7.75-10	54
22-8-10	57
22-9/9.50-10	70
23-8-10	65
23-9-10	76
24-10.50/11.00-10	100
24-12.00-10	105
24-7.7-10	79
24-9.50-10	90
25-12.00-10	113
25-8-10	76
27-15-10	161
27-9-10	99
29-11-10	151

11" inch	
23-8-11	61
24-8-11	68
24-9-11	75
26-10.1-11	140

11.5" inch	
28-11.5	88

Size of Tire	Avg. Weight lbs
<b>12" inch</b>	
4.00/4.50/4.80-12	30
5.00/5.30-12	32
5.70-12	42
6.00/6.50-12	58
6.00/6.90-12	54
7.00-12	84
8.90-12	96
11.00-12	90
145/80-12	34
15.00-12	122
155/80-12	42
165/70-12	41
20.5-8.50-12	57
21-7-12	58
22-5.75-12	34
22-7.50-12	54
22-8-12	58
22-11.00-12	70
23.5-11-12	71
23.5-8.50-12	62
23-10.00-12	80
23-10.50-12	87
23-7-12	53
23-8.50-12	69
23-8-12	53
23-9.50-12	77
23-9-12	71
24.5-8.5-12	68
24-12.00-12	89
24-13.00-12	101
24-7.25-12	60
25-8-12	90
25-9-12	95
25-10/11/12-12	100
26-12.00-12	120
26-14/14.5-12	132
27-10.00-12	130
31-13.00-12	164
32-8.50-12	122
38-9-12	108

Size of Tire	Avg. Weight lbs
<b>13" inch</b>	
6.00-13	51
6.50-13	58
7.00-13	62
A60-13	51
A70-13	51
A78-13	49
B50-13	57
B60-13	53
B70-13	61
B78-13	55
C78-13	58
105/80-13	22
125/80-13	29
135/80-13	27
145/80-13	39
155/70-13	38
155/80-13	44
165/65-13	39
165/70-13	43

Size of Tire	Avg. Weight lbs
165/75-13	46
165/80-13	50
175/70-13	49
175/75-13	53
175/80-13	58
185/60-13	45
185/70-13	55
185/75-13	60
185/80-13	64
195/60-13	52
195/65-13	57
195/70-13	63
205/60-13	57
205/70-13	69
215/50-13	52
215/60-13	64
225/75-13	56
235/50-13	63
235/60-13	78
245/50-13	70
24-7.50-13	57
31-9.75-13	132

Size of Tire	Avg. Weight lbs
<b>14" inch</b>	
1.65-14	48
1.85-14	61
1.95-14	74
4.00-14	60
6.00/6.30-14	104
7.00-14	104
7.35-14	105
7.50/7.75-14	105
7.90-14	105
8.25-14	106
8.44-14	107
8.50-14	109
8.55-14	115
8.5L-14	108
8.85-14	126
9.00-14	130
9.5L-14	130
11L-14	140
23-8.50-14	75
24-8.50-14	80
25-7.75/6.75-14	81
25-8.50-14	85
26-6.75-14	86
26-8.50-14	77
26.5-8-14	77
27-8.50-14	85
27-9.50-14	93
29-9.50-14	123
30-11.50-14	170
34-11-14	185
37-14-14	255
40-14	303
B78-14	56
C78-14	60
D78-14	67
E60-14	80
E70-14	75
E78-14	80

Size of Tire	Avg. Weight lbs
F60-14	86
F70-14	84
F78-14	82
G50-14	88
G60-14	95
G70-14	91
G78-14	92
H70-14	97
H78-14	107
J78-14	113
L60-14	115
M50-14	121
105/70-14	27
115/70-14	23
125/70-14	26
125/80-14	28
135/70-14	33
135/80-14	35
165/64-14	41
165/65-14	45
165/80-14	53
175/60-14	43
175/65-14	47
175/70-14	52
175/75-14	56
175/80-14	61
185/65-14	52
185/70-14	57
185/75-14	62
185/80-14	67
195/60-14	54
195/65-14	60
195/70-14	65
195/75-14	71
205/60-14	59
205/70-14	81
205/75-14	80
215/60-14	67
215/65-14	74
215/75-14	87
225/60-14	73
225/70-14	89
225/75-14	97
235/60-14	81
235/70-14	97
245/50-14	73
245/60-14	90
245/70-14	110
255/50-14	87
255/60-14	106
265/50-14	86
265/60-14	106
275/60-14	114

Size of Tire	Avg. Weight lbs
<b>14.5" inch</b>	
7-14.5	80
8-14.5	100
9-14.5	120
26.9-14.5	120
27.5/7.55/8.75-14.5	150
30-11.50-14.5	175

Size of Tire	Avg. Weight lbs
<b>15" inch</b>	
400-15	33
500-15	49
550/575-15	67
590-15	67
600/610-15	65
640/670-15	82
700-15	113
750-15	135
760/775-15	103
825-15	163
855-15	125
890-15	170
9.5L-15	140
900-15	192
960-15	138
10.00-15	226
11L-15	172
11.00-15	258
12.00-15	198
12.5L-15	194
13.50-15	190
14.00-15	240
14.50-15	255
15.50-15	257
25-7.50-15	66
25-10.50/12.50-15	102
27-7.75-15	70
27-8.50-15	81
27-9.50-15	90
27-10.50-15	114
27-12-15	138
28-8.50-15	115
28-9/8.15-15	130
28-11.50-15	140
28-12-15	175
28-13-12	176
29-8-15	104
29-9/9.50-15	110
29-10.00-15	110
29-12.00/12.50-15	144
29-12.50-15	156
29-14.00-15	165
30-8-15	122
30-9.50-15	120
31-10.50-15	153
31-11.50-15	172
31-12.50-15	173
31-13.50-15	188
31-15.50-15	200
32-11.50-15	171
32-12.50-15	179
32-12-15	190
32-15/15.50-15	200
33-10.50-15	175
33-12.50-15	203
35-12.50-15	236
35-14.50-15	275
35-15.50-15	255
36-11.0-15	200
36-12.50-15	239
36-13.50-15	272

Size of Tire	Avg. Weight lbs
36-14.50-15	300
37-12.50-15	255
37-14.00-15	275
37-14.50-15	317
39-15.50-15	353
46-15	470
250-15	106
300-15	190
A78-15	52
E78-15	69
F60-15	79
F70-15	80
F78-15	78
G478-15	79
G50-15	84
G60-15	92
G70-15	91
H37-14.40-15	277
H70-15	103
J78-15	102
K70-15	107
L60-15	116
L70-15	117
L78-15	115
M 140-90-15	40
M 150-90-15	49
M V 85-15	45
M V 90-15	44
N50-15	129
N78-15	127
325-50-15	135
105/70-15	20
115/70-15	23
125/70-15	28
125/90-15	35
135/70-15	30
135/80-15	35
135/90-15	35
155/80-15	72
165/80-15	48
185/60-15	90
185/70-15	50
185/75-15	56
195/50-15	44
195/60-15	53
195/65-15	63
195/70-15	69
195/75-15	74
195/80-15	81
205/50-15	51
205/55-15	57
205/60-15	62
205/65-15	68
205/70-15	75
205/75-15	83
215/60-15	70
215/65-15	78
215/70-15	85
215/75-15	92
225/50-15	62
225/55-15	69
225/65-15	84

Size of Tire	Avg. Weight lbs
225/70-15	101
235/60-15	85
235/65-15	94
235/70-15	104
235/75-15	112
245/50-15	77
245/60-15	90
245/65-15	104
245/70-15	115
255/55-15	92
255/60-15	102
255/65-15	113
255/70-15	125
255/75-15	132
265/50-15	90
265/60-15	112
265/75-15	150
275/50-15	97
275/60-15	121
285/70-15	161
295/50-15	113
375/60-15	245
U90-15	42

<b>15.3" inch</b>	
10.5/75-15.3	216
11.5/80-15.3	240
12.5/80-15.3	260

<b>16" inch</b>	
550-16	65
600-16	76
650-16	92
680-16	120
700/7-16	115
750-16	143
8.3-16	120
800/8-16	141
900-16	183
9.5-16	163
10.00-16	184
10/14/2016	322
<b>11L-16</b>	175
11.00-16	223
12.4-16	302
12.5L-16	270
12.5/70-16	270
13.6-16	302
14L-16	316
15.00-16	408
16.00-16	471
16.5L-16	425
17.00-16	534
18.4-16	579
32-8.8-16	109
33-12.50-16	200
33-9.50-16	159
34-9.25-16	144
36-11-16	236
37-13-16	251
39-13-16	272
40.5-15.5-16	400

Size of Tire	Avg. Weight lbs
42-10-16	408
44-14-16	430
46-16	459
56-16	874
105-70-16	21
115-70-16	25
125-70-16	28
125-80-16	32
125-90-16	37
135-70-16	32
145-80-16	42
145-90-16	48
155/80-16	49
155-90-16	55
215/60-16	70
215/85-16	122
225/50-16	51
225/60-16	77
225/75-16	98
235/60-16	110
235/85-16	141
245/50-16	83
245/75-16	142
255/50-16	82
255/85-16	155
265/50-16	91
265/70-16	130
275/50-16	97
285/70-16	135
285/75-16	171
350/50-16	205
F78-16	79
L78-16	117
M100-100-16	24
M100-90-16	22
M120-80-16	27
M130-100-16	43
M130-80-16	33
M130-90-16	38
M140-80-16	39
M140-90-16	45
M150-90-16	51
M70-100-16	11
M70-90-16	10
M80-100-16	15
M80-90-16	13
M90-100-16	19
M90-90-16	17
MP75-16	27
MR85-16	30
MT90-16	40
MU90-16	47

16.1" inch	
13.50-16.1	397
14.5/75-16.1	300
14L-16.1	327
16.5L-16.1	474
18.4-16.1	640
19L-16.1	750
21.5L-16.1	795
22.5L-16.1	805

Size of Tire	Avg. Weight lbs
33-16-16.1	312
35-16.1	425
38-20-16.1	468
44-14-16.1	1409

16.5" inch	
8.00-16.5	110
8.75-16.5	125
9.50-16.5	130
10-16.5	160
12-16.5	205
12.5/70-16.5	218
15.5/38-16.5	330
18.5/44-16.5	445
30-9.50-16.5	119
31.5-13.00-16.5	205
31-10.50-16.5	140
31-11.50-16.5	143
33-12.50-16.5	212
33-15.50-16.5	250
36-12.50-16.5	312
36-14.50-16.5	323
37-12.50-16.5	316
37-14.50-16.5	318

16.9" inch	
445-55-710-16.9	540

17" inch	
6.00-17	92
7.00-17	120
7.50-17	135
8.25-17	176
40-18-17	413
49-17	705
225/50-17	54
245/40-17	65
245/45-17	74
255/45-17	81
275/40-17	83
285/35-17	80
285/40-17	90
315/35-17	98
335/35-17	108
15.0/55-17	325
19.0-45/55-17	400
M100-100-17	26
M100-80-17	20
M100-90-17	23
M110-80-17	24
M120-100-17	37
M120-80-17	29
M120-90-17	33
M130-100-17	44
M130-80-17	34
M130-90-17	39
M140-80-17	41
M60-100-17	9
M60-90-17	8
M70-100-17	12
M70-90-17	11
M80-100-17	16

Size of Tire	Avg. Weight lbs
M80-80-17	12
M80-90-17	14
M90-100-17	20
M90-80-17	16
M90-90-17	18
MS90-17	36
MT90-17	41

17.5" inch	
7R-17.5	87
8R-17.5	113
9R-17.5	157
10R-17.5	180
11R-17.5	241
14-17.5	265
36-16-17.5	305
215/75R-17.5	112
235/75R-17.5	140
240/55-17.5	153
275/65-17.5	165
400/45-17.5	400

18" inch	
3.50-18	26
4.00-18	32
7.00-18	119
7.50/8-18	148
8.25-18	149
10.5/80-18	194
11.00-18	360
12.5/80-18	294
13/65-18	262
15.5/65-18	400
340/80-18	340
365/70-18	375
405/70-18	450
40-12-18	264
41-15-18	355
44-16-18	430
44.5-16.5-18	474
M100-100-18	27
M100-80-18	23
M100-90-18	24
M110-100-18	32
M110-80-18	25
M110-90-18	28
M120-100-18	39
M120-80-18	30
M120-90-18	34
M130-100-18	46
M130-80-18	36
M130-90-18	41
M140-80-18	43
M70-100-18	12
M70-19-18	11
M80-100-18	16
M80-80-18	13
M80-90-18	15
M90-100-18	21
M90-80-18	23
M90-90-18	19
MN90-18	28

Size of Tire	Avg. Weight lbs
MP85-18	29
MP90-18	31
MR90-18	35
MS85-18	36
MT85-18	40

18.5" inch	
13-18.5	324

19" inch	
4.00-19	37
H40-14.0-19	300
H40-14.5-19	308
H42-16.0-19	388
M100-80-19	22
M100-90-19	25
M110-100-19	33
M110-80-19	26
M110-90-19	30
M120-100-19	40
M120-80-19	31
M120-90-19	36
M130-80-19	37
M80-100-19	17
M80-90-19	15
M90-90-19	20
MJ90-19	20
ML90-19	22
MM90-19	24
1000-100-19	28

19.5" inch	
8R-19.5	130
15-19.5	395
16.50-19.5	458
18-19.5	527
19.50-19.5	663
22-19.5	639
40-19-19.5	442
225/70R-19.5	126
245/70R-19.5	148
285/70R-19.5	200
385/65-19.5	550
445/55-19.5	570

20" inch	
6.50-20	129
7.50-20	153
8.25-20	201
9.00-20	232
10.00-20	300
10.5-20	190
11.00-20	316
12.00-20	386
12.5-20	340
13.00-20	422
14.00-20	568
14.5-20	568
15.50-20	459
16.00-20	823
17.00/17.5/65-20	591
18.00-20	1021

Size of Tire	Avg. Weight lbs
20.00-20	1125
315/55-20	375
38-14.00-20	309
38-18.00-20	415
39-11.50-20	200
41-14.00/355/80-20	600
42-25.00-20	627
43-16.00-20	640
44-18.00-20	650
44-41.00-20	1536
44.5-16.5-20	675
45-17.00-20	700
46-18.00-20	725
48-25.00-20	910
48-31.00-20	1205
49-19.00-20	750
50-20.00-20	730
50-21.00-20	893
51-21.00-20	1027
52-20.5-20	819
56-20.00-20	1160
1380R-20	372
14/80R-20	427
205-546-20	150
280/70-20	325
345/80-20	387
395/85-20	512
405/16.0/70-20	550
425/95-20	720

20.5" inch	
10.00-20.5	98
10.50-20.5	96
12.00-20.5	149
24.00-20.5	1337

21" inch	
3.00-21	75
6.00-21	77
12.00R-21	423
14.00R-21	578
14.50-20	530
16.00R-21	805
18.00-21	544
23.00-21	961
24.00R-21	1149
27.25R-21	1601
37.25R-21	1701
C40-14.00-21	285
M100-100-21	30
M100-90-21	27
M80-100-21	19
M80-90-21	17
MH-90-21	18

21.5" inch	
12-21.5	138

22" inch	
9.5-22	190
10.00-22	286
11.00-22	331

Size of Tire	Avg. Weight lbs
39-15-22	500
42-21-22	525
49-19-22	603

22.5" inch	
8R-22.5	136
9.R-22.5	173
10R-22.5	218
11R-22.5	300
12R-22.5	318
13-22.5	342
15-22.5	470
16-22.5	484
18-22.5	548
215/75-22.5	312
245/75-22.5	171
255/70-22.5	176
265/75-22.5	202
275/70-22.5	204
275/80-22.5	243
295/75-22.5	255
295/80-22.5	299
305/55-22.5	275
305/75-22.5	300
315/80-22.5	355
385/65-22.5	388
425/65-22.5	512
445/65-22.5	531
500/45-22.5	625

23" inch	
52-20.5-23	791

23.5" inch	
14-23.5	212
23-23.5	932

24" inch	
7.00-24	145
7.50-24	183
8.3-24	161
9.00-24	360
9.5-24	210
10.00-24	320
11.00-24	348
11.2-24	330
11.25-24	414
12.00-24	433
12.4-24	368
13.00-24	526
13.6-24	451
14.00-24	586
14.9-24	577
15.5/80-24	446
16.00-24	843
16.9-24	724
17.5L-24	673
18.00-24	1158
18.4-24	917
19.5L-24	925
21L-24	1052
22-24	1155

Size of Tire	Avg. Weight lbs
320/70-24	577
360/70-24	590
380/70-24	605
385/95-24	615
400/80-24	625
420/70-24	640
500/70-24	750
H54-21.0-24	849

24.5" inch	
11R-24.5	320
12R-24.5	330
13.5R-24.5	417
245/75-24.5	215
285/75-24.5	247

25" inch	
11.00-25	430
12.00-25	473
13.00-25	531
14.00-25	718
15.5-25	650
16.00-25	925
17.5-25	800
18.00-25	1293
20.5-25	1075
20.5R-25	1123
21.00-25	1782
22.00-25	1372
23.5-25	1394
23.5R-25	1559
24.00R-25	2376
26.5-25	1889
26.5R-25	2111
29.5-25	2550
29.5R-25	2738
20-65-25	764
30-65-25	2422
35-65-25	652
61-18.00-25	1668
63-43.00-25	3243
65-25.00-25	3294
66-44.00-25	3289
67-34.00-25	2599
385-95-25	763
445-80-25	915
445-90-25	1247
505-95-25	1423
575-95-25	1547
605-80-25	2105
685-80-25	365

26" inch	
12.4-26	455
13.6-26	501
14.9-26	604
16.00-26	1028
16.9-26	783
18.00-26	1367
18.4-26	962
23.1-26	1665
28L-26	1865

Size of Tire	Avg. Weight lbs
480-70-26	781
54-31.00-26	2023
66-43.00-26	3050
67-34.00-26	2548
480-70-26	781

28" inch	
11.2-28	428
11.25-28	460
12.4-28	479
13.6-28	522
14.9-28	635
16.9-28	912
18.4-28	1007
19.6-28	1025
21L-28	1270
320-70-28	417
360-70-28	494
370-75-28	505
380-70-28	610
400/75-28	700
420-70-28	767
480-70-28	844
480-75-28	800

29" inch	
14.9-29	712
16.9-29	984
20-65-29	2049
24.00-29	2308
25-65-29	2118
26.5-29	2651
29.5-29	2640
29.5R-29	2962
30-65-29	3512
33.25-29	3796
33-65-29	3166
35-65-29	3966

30" inch	
6.00-30	450
7.2-30	500
14.9-30	665
16.9-30	875
18.4-30	1025
23.1-30	2218
67-37.00-30	2431
420-70-30	642
480-70-30	863
520-70-30	1026

32" inch	
9.5-32	240
24.5-32	2039
30.5-32	2596
33L-32	3488
35.5L-32	3336
38L-32	3941
40.5L-32	4647
68-50.00-32	3602
73-44.00-32	3726

Size of Tire	Avg. Weight lbs
33" inch	
18.00-33	1528
21.00-33	3598
27.00-33	3865
30-33	4346
33.5-33	4400
35-65-33	4327
37.5-33	5596
75-33	652

34" inch	
11.2-34	900
16.9-34	945
18.4-34	1147
20.8-34	1468
23.1-34	1828
480/70-34	1122
520/70-34	1322

35" inch	
21.00-35	2165
24.00-35	2861
29.5-35	3298
33.25-35	4208
37.25-35	5466

36" inch	
9.5-36	296
11.2-36	399
12.4-36	572
13.9-36	600
14.9-36	735
31.5-36	3222

38" inch	
11.2-38	416
12.4-38	631
13.6-38	643
14.9-38	787
15.5-38	874
16.9-38	1011
18.4-38	1303
20.8-38	1643
33L-38	3129
35.5L-38	3706
37.5-38	6180
38L-38	4365
40.5L-38	5132
480-70-38	1215
520-70-38	1555

39" inch	
30-39	6190
33.5-39	4758
37.5-39	6133
38-39	4862
40.5-75-39	8120
40-65-39	5442
41.25-70-39	5900
45-65-39	6885
65-40-39	6885



Size of Tire	Avg. Weight lbs
<b>41" inch</b>	
96-40-41	4800

42" inch	
12.4-42	1344
18.4-42	1419
20.8-42	1768
670/70-42	2650
710/70-42	2994

43" inch	
24.00-33	2920

44" inch	
8.3-44	235

45" inch	
40-65-45	6878
45-65-45	8611
50-65-45	9708
55-65-45	12228
65-45-45	12430

46" inch	
13.6-46	765
14.9-46	898
18.4-46	1523
20.8-46	1895

49" inch	
18.00-49	1998
21.00-49	2702
24.00-49	4502
27.00-49	5249
24-49	3540

51" inch	
24.00-51	4255
27.00-51	5940
30.00-51	6216
33.00-51	7676
36.00-51	9019
37.5-51	7248
50-65-51	10,973
55-65-51	13,136
60-65-51	16,205
65-65-51	19,693
67-51	23,800

53" inch	
39-90-53	9,523

56.5" inch	
27-56.5	3382
30-56.5	3,852

57" inch	
37.00-57	12,683
40.00-57	13,315

59.5" inch	
33-59.5	7,064

Size of Tire	Avg. Weight lbs
36-59.5	7,069
39-59.5	8,857

Low aspect ratio	
15-625	295
18-625	490
23-10.50-360	77
23-8.50-360	62
26-12D-380	141
33-16LL-500	295
265-521	400
305 x 546	145
330-851	420
350-597	500
355/55-625	210
375-851	440
385-648	390
445/50D-710	600