



ATV PERFORMANCE TIRES

A DIVISION OF GREENBALL CORPORATION

GBC Tire Performance Chart

Tire	Sport ATV	Utility ATV	UTV/ SxS	Rocky Trail/ Desert	General Trail Riding	Soft Terrain	Deep Mud	Dunes/ Loose Sand	X-Country Racing	MX/ Closed Course	Street/ Hard Surface
Kanati Mongrel		✘	✘								
Grim Reaper		✘	✘								
Spartacus		✘	✘								
Dirt Commander		✘	✘								
Afterburn	✘	✘	✘								
Afterburn Street	✘	✘	✘								
XC-Racer	✘										
XC-Master	✘										
Gator		✘	✘								
Dirt Devil		✘	✘								
Dirt Tamer		✘	✘								

= Exceptional Performance = Very Good Performance

KANATI MONGREL

BY GBC MOTORSPORTS

New Sizes Coming in 2014!

27X9.00R12
27X11.00R12
27X11.00R14



The world's first all-purpose, DOT-approved tire for Side-by-Sides offers unparalleled performance in all terrains. The Kanati® Mongrel overcomes the toughest off-road obstacles while providing a smooth and safe ride in your street legal SXS.

Since 2013, the Mongrel has made a big splash in the motor-sports race scene and was instrumental in victories at WORCS Racing for both amateurs and pros. The Mongrel crushed the competition in some of the toughest desert races in the world like the Baja 500 and Vegas to Reno.

We're proud to say that the Kanati® Mongrels swept the podium at King of the Hammers 2013, easily edging out the other racers with its unique blend of traction, stability, and durability. They turned plenty of heads at the track; while in previous years the race lasted only 2-3 hours, the 2013 competition continued for nearly 8 hours and truly tested the performance and endurance of our Mongrels!

- Great performance on street and off-road
- 8-ply rated, radial construction
- 8 available sizes
- Impressive maximum load rating
- Superior puncture resistance
- DOT-approved



ATV / UTV TIRES



KANATI MONGREL® TUBELESS

The new Kanati Mongrel® features a unique tread pattern that makes it the perfect solution for on and off-road use on your Utility ATV or SideXSide. The Mongrel is DOT approved for street use but also provides a smooth ride on any hard packed surface. The 8-ply rated radial construction is designed for superior weight loads, puncture resistance and rider comfort.

- Street, hard pack, general trail
- 8-Ply Rated (Radial)
- 8 sizes
- Lighter than a passenger car or light truck tire
- DOT Approved for street use

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
AE122610MG	26X10.00R12	8PR	21	26.0 on 7.0	9.4	6-8	20	26.5	740
AE122709MG	27X 9.00R12	8PR	20	27.0 on 7.0	9.0	6-7	20	27.2	690
AE122711MG	27X11.00R12	8PR	20	27.0 on 7.0	10.0	7-9	20	30.9	810
AE142711MG	27X11.00R14	8PR	20	27.0 on 7.0	10.3	7-9	20	29.6	740
AE142810MG	28X10.00R14	8PR	20	28.0 on 7.0	9.4	6-8	20	29.6	740
AE143010MG	30x10.00R14	8PR	20	30.1 on 7.0	9.4	6-8	20	33.3	740
AE152810MG	28X10.00R15	8PR	20	28.1 on 7.0	9.3	6-8	20	28.7	740
AE153010MG	30X10.00R15	8PR	20	30.3 on 7.0	9.3	6-8	20	34.0	740

* True specifications achieved after mounting for 24-72 hours.



GRIM REAPER® TUBELESS

Grim Reaper® combines an aggressive tread pattern with deep wrap-around shoulder lugs to give you uncompromising performance and traction. This 8-ply rated all terrain radial is made for superior puncture resistance and enhanced rider comfort.

- All Terrain
- 10 Sizes
- 8-Ply Rated (Radial)
- Zig-Zag Centerline for Superior Flat Resistance
- Smooth Ride
- Up to 1120lb load
- Deep, Wrap Around Lugs

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
AE122308GR	23X8.00-R12	8PR	29	23.0 on 7.0	8.0	5-7	7/12	19.7	350/470
AE122310GR	23X10.00-R12	8PR	29	23.1 on 7.0	9.6	6-8	7/12	22.8	430/580
AE122508GR	25X8.00-R12	8PR	27	25.0 on 7.0	8.3	5-7	7/12	21.9	340/480
AE122510GR	25X10.00-R12	8PR	27	25.0 on 7.0	9.4	6-8	7/12	25.8	420/580
AE122610GR	26X10.00-R12	8PR	27	26.0 on 7.0	9.6	6-8	7/12	27.1	440/595
AE122612GR	26X12.00-R12	8PR	27	26.0 on 7.0	10.8	8-10	7/12	32.4	520/735
AE142609GR	26X9.00-R14	8PR	29	26.2 on 7.0	8.3	6-7	7/14	26.5	700/1,000
AE142611GR	26X11.00-R14	8PR	29	26.2 on 8.0	10.7	7-9	7/14	31.5	730/1,045
AE142709GR	27X9.00-R14	8PR	29	27.0 on 7.0	9.0	6-9	7/14	27.9	750/1,075
AE142711GR	27X11.00-R14	8PR	29	27.0 on 7.0	10.4	7-9	7/14	32.6	780/1,120

* True specifications achieved after mounting for 24-72 hours.

ATV / UTV TIRES

SPARTACUS® TUBELESS

Designed to conquer mud and other tough terrains, this 8-ply rated radial puts more rubber on the ground for better gripping power and a smoother, more comfortable ride. Can carry up to 1120lb load capacity.

- Mud & Soft Terrain
- 8 Sizes
- 8-Ply Rated (Radial)
- "Trailable" Mud Tire
- Added Blocks Put More Rubber on the Ground

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
AE122508SP	25X8.00-R12	8PR	27	25.0 on 7.0	8.3	5-7	7/12	22.1	340/480
AE122510SP	25X10.00-R12	8PR	27	25.0 on 7.0	9.4	6-8	7/12	25.3	420/580
AE122610SP	26X10.00-R12	8PR	27	26.0 on 7.0	9.6	6-8	7/12	27.4	440/595
AE122612SP	26X12.00-R12	8PR	27	26.0 on 7.0	10.8	8-10	7/12	31.4	520/735
AE142609SP	26X9.00-R14	8PR	29	26.0 on 6.0	8.1	6-7	7/14	25.6	700/1,000
AE142611SP	26X11.00-R14	8PR	29	26.2 on 8.0	10.7	7-9	7/14	30.8	730/1,045
AE142709SP	27X9.00-R14	8PR	29	27.0 on 7.0	9.0	6-7	7/14	27.4	750/1,075
AE142711SP	27X11.00-R14	8PR	29	27.0 on 7.0	10.4	7-9	7/14	33.3	780/1,120

* True specifications achieved after mounting for 24-72 hours.



DIRT COMMANDER® TUBELESS

This super tough, puncture resistant 8-ply rated bias tire has a siped tread design and biting edges for excellent all terrain traction and up to 1120lb load capacity.

- All Terrain
- 10 Sizes
- 8-Ply Rated
- Deeply Siped for Super Traction
- Excellent Puncture Resistance
- Up to 1120lb load

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD SINGLE/DUAL
AE122508DC	25X8.00-12	8PR	27	25.2 on 7.0	8.2	5-7	7/12	20.5	340/480
AE122510DC	25X10.00-12	8PR	27	25.2 on 7.0	9.5	6-8	7/12	25.9	420/580
AE122609DC	26X9.00-12	8PR	27	25.7 on 7.0	8.75	6-7	7/12	23.7	410/570
AE122611DC	26X11.00-12	8PR	27	25.8 on 7.0	10.0	7-9	7/12	27.1	480/680
AE122709DC	27x9.00-12	8PR	26	27.7 on 6.0	8.5	6-7	20	25.0	750/920
AE122711DC	27x11.00-12	8PR	26	27.8 on 8.0	10.6	7-9	20	29.3	780/960
AE142609DC	26X9.00-14	8PR	27	26.0 on 7.0	8.5	6-7	7/14	23.4	700/1,000
AE142611DC	26X11.00-14	8PR	27	26.0 on 7.0	9.7	7-9	7/14	28.2	730/1,045
AE142709DC	27X9.00-14	8PR	27	26.0 on 7.0	8.5	6-7	7/14	24.6	750/1,075
AE142711DC	27X11.00-14	8PR	27	26.0 on 7.0	10.0	7-9	7/14	29.4	780/1,120

* True specifications achieved after mounting for 24-72 hours.

**Denotes front tire.



ATV / UTV TIRES

**AFTERBURN® TUBELESS**

This high performance radial tire delivers uncompromised traction and a super smooth ride in both mixed and hard packed terrain. Perfect for straight line and high speed cornering with a smooth comfortable ride.

- Mixed / Hard Packed
- 3 Sizes
- 6-Ply Rated (Radial)
- Super Smooth Ride
- High Performance Tire
- Superior Straight Line and Cornering Capabilities

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD
AE122508AB	25X8.00-R12	6PR	17	25.4 on 7.0	8.4	5-7	7	17.4	340
AE122510AB	25X10.00-R12	6PR	17	25.4 on 7.0	9.4	6-8	7	22.8	420
AE122608AB	26X8.00-R12	6PR	17	26.0 on 7.0	8.3	5-7	7	18.6	460

* True specifications achieved after mounting for 24-72 hours.

**AFTERBURN® STREET FORCE TUBELESS**

The Afterburn® Streetforce is a DOT and ECE (European e-mark) approved street tire. Speed and load rated at 57N. 100% for street application. 4-ply rated for light weight. Aggressive directional siped tread great for wet and dry traction.

- Street / Hard pack
- 2 Sizes
- 4-Ply Rated (Radial)
- DOT and ECE Approved
- Load Rating to 500 lbs. Speed Rating: 87 mph
- Aggressive Directional, Siped Tread for Wet and Dry

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD
AE122508SF	25X8.00R12	4PR	10	24.9 on 7.0	8.1	5-7	15	19.9	500
AE122510SF	25X10.00R12	4PR	10	24.6 on 8.0	10.0	6-8	12	21.8	500

* True specifications achieved after mounting for 24-72 hours.

ATV / UTV TIRES

XC RACER® TUBELESS

The newly improved sport ATV tire for the everyday enthusiast features a reinforced bead that provides a better seal and improved durability. Designed with a multi-kerf, pre-grooved knob, the XC-Racer gives you more flexibility with greater traction. Made from GBC's well-known rubber compound, this tire is made to last.

- Cross country terrain
- 2 sizes
- 6-Ply Rated
- Multi-kerf, pre-grooved knobs
- Flexibility and great grip
- Available in front and rear tread designs

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD
AE092011XR	20X11.00-9	6PR	15	20.0 on 9.0	11.0	7-9	7	16.5	350
AE102107XR	21X7.00-10	6PR	15	21.1 on 5.0	7.0	3.5-5.5	7	12.3	250

* True specifications achieved after mounting for 24-72 hours.
**Denotes front tire.

**XC-MASTER® -TUBELESS**

GBC's popular cross country tire has been improved with a reshaped profile to improve steering and control. Its X-knob tread pattern delivers superior handling, puncture resistance and endurance for cross country riding and racing. Available in both front and rear designs.

- Cross country and desert
- 7 sizes
- 6-Ply Rated
- Popular tread pattern
- Superior handling and excellent traction
- Puncture-resistant casing

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD
AR092011XM	20X11.00-9	6PR	15	20.0 on 9.0	11.0	7-9	7	16.9	341
AR092211XM	22X11.00-9	6PR	15	22.0 on 9.0	11.2	7-9	7	19.8	397
AR102011XM	20X11.00-10	6PR	15	20.0 on 8.0	10.8	7-9	5	17.6	330
AR102107XM	21X7.00-10	6PR	15	21.3 on 5.5	7.0	3.5-5.5	7	12.0	235
AR102207XM	22X7.00-10	6PR	15	22.0 on 5.5	6.9	3.5-5.5	7	13.7	255
AR102211XM	22X11.00-10	6PR	15	22.4 on 8.0	10.8	7-9	7	19.2	386
AR102307XM	23X7.00-10	6PR	15	23.0 on 5.5	7.0	3.5-5.5	7	13.8	275

* True specifications achieved after mounting for 24-72 hours.
**Denotes front tire.

GBC GATOR® TUBELESS

The GBC Gator® is GBC's premium bias 6-ply rated heavy duty tire. Its deep angled tread lugs force mud away from the tire for superior gripping power and they overlap the centerline for a smoother ride.

- Mud, Sand, Gravel, Soft Dirt
- 4 Sizes
- 6-Ply Rated
- Our Most Popular Mud Tire
- All Around Soft-Surface Performance
- Premium Rubber Compound

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD
AR09301	22X10.00-9	6PR	28	21.9 on 9.0	10.0	6-8	7	22.6	355
AR11321	22X7.00-11	6PR	28	21.9 on 5.5	7.1	3.5-5.5	7	16.9	245
AR12331	25X8.00-12	6PR	28	24.8 on 7.0	8.1	5-7	7	21.6	342
AR12332	25X10.00-12	6PR	28	24.9 on 7.0	9.8	6-8	7	26.3	420

* True specifications achieved after mounting for 24-72 hours.



ATV / UTV TIRES

DIRT DEVIL -TUBELESS

This 6-ply rated tire's compound was reformulated with more natural rubber. Traction spikes were added for ultimate grip and durability in a wide range of terrain, light mud, dirt, gravel and hard pack. Each lug is dimpled with more biting edges for better traction and stability.

- All Terrain
- 21 Sizes
- 6-Ply Rated
- Our Most Popular Tire
- Terrific Value
- Great High / Low Speed Traction



DIRT DEVIL
DIRT DEVIL
DIRT DEVIL

PART#	SIZE	TREAD	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD
AR0898	22X11.00-8	A/T	6PR	20	22.3 on 8.5	10.9	7-9	7	21.5	395
AR0938	25X12.00-9	A/T	6PR	20	25.2 on 9.5	11.6	8-10	7	24.0	496
AR1018	22X11.00-10	A/T	6PR	20	22.2 on 9.0	10.7	7-9	7	19.9	385
AR1026	22X8.00-10	A/T	6PR	20	21.9 on 5.5	8.0	5-7	7	14.2	275
AR1029	23X8.00-10	A/T	6PR	20	23.4 on 5.5	8.3	5-7	7	15.4	300
AR1019	23X10.00-10	A/T	6PR	20	23.4 on 10.0	10.2	6-8	7	19.6	375
AR1060	24X11.00-10	A/T	6PR	20	24.0 on 8.0	11.1	7-9	7	22.3	440
AR1068	25X12.00-10	A/T	6PR	20	24.8 on 9.0	11.7	8-10	7	24.9	495
AR1160	23X8.00-11	A/T	6PR	20	23.4 on 7.0	7.6	5-7	7	14.5	290
AR1104	24X8.00-11	A/T	6PR	20	24.0 on 7.0	8.1	5-7	7	17.0	320
AR1103	24X9.00-11	A/T	6PR	20	23.8 on 7.0	8.6	6-7	7	19.1	365
AR1161	24X10.00-11	A/T	6PR	20	24.2 on 7.0	10.1	6-8	7	21.1	395
AR1163	25X8.00-11	A/T	6PR	20	25.1 on 5.5	8.1	5-7	7	19.3	355
AR1165	25X10.00-11	A/T	6PR	20	25.2 on 7.0	10.0	6-8	7	23.2	430
AR1226	25X8.00-12	A/T	6PR	20	25.2 on 7.0	8.3	5-7	7	16.9	340
AR1230	25X10.00-12	A/T	6PR	20	24.4 on 7.0	9.9	6-8	7	20.5	420
AR1201	26X10.00-12	X/T	6PR	39	25.9 on 7.0	9.0	6-8	7	24.5	460
AR1202	26X12.00-12	X/T	6PR	39	25.9 on 8.0	11.4	8-10	7	30.8	520
AR1211	27X10.00-12	X/T	6PR	39	26.9 on 7.0	9.0	6-8	7	27.4	490
AR1212	27X12.00-12	X/T	6PR	39	26.9 on 8.0	11.4	8-10	7	32.0	550
AR1221	28X10.00-12	X/T	6PR	39	27.8 on 7.0	9.0	6-8	7	28.7	450

* True specifications achieved after mounting for 24-72 hours.

DIRT TAMER -TUBELESS

This popular performance 6-ply rated tire boasts a bold non-directional tread design that promotes exceptional traction in all types of terrain. The Dirt Tamer offers serious puncture resistance and its tread lugs run deep into the sidewall for added protection.

- All Terrain
- 6 Sizes
- 6-Ply Rated
- Exceptional All Terrain Traction
- Popular Non-Directional Tread Design
- Extra Strong & Durable




DIRT TAMER
DIRT TAMER
DIRT TAMER

PART#	SIZE	PLY	TREAD DEPTH 32NDS IN.	O.D.	S.W.	RIM WIDTH	PSI	WEIGHT LBS.	MAX LOAD
AR122816	25X8.00-12	6PR	28	25.0 on 7.0	8.0	5-7	7	21.6	340
AR122916	25X9.00-12	6PR	28	25.0 on 7.0	8.7	6-7	7	23.2	385
AR122926	26X9.00-12	6PR	28	26.0 on 7.0	9.0	6-7	7	25.1	410
AR122216	26X12.00-12	6PR	28	26.0 on 9.0	10.0	8-10	7	28.7	520
AR122936	27X9.00-12	6PR	28	27.0 on 7.0	9.0	6-7	7	27.4	440
Coming Soon	27X11.00-12	6PR	28	26.9 on 8.0	10.7	6-7	7	31.4	550
AR122226	27X12.00-12	6PR	28	27.0 on 9.0	10.0	8-10	7	30.5	550

* True specifications achieved after mounting for 24-72 hours.

TERMS & CONDITIONS

- Payment:** Net 30 days from invoice date on approved credit.
- Shipments:** Shipments under 3000 lbs will be freight collect.
- Shipments:** Over 3000 lbs. To one location will be freight prepaid. Any additional drop-off charge for multiple location shipments will be prepaid, with drop-off charges added to the invoice.
- Returns:**
 - No returns will be accepted unless issued a Return Authorization Number by Greenball® Corporation. Material returned without authorization will not receive any credit.
 - Returns must be received within ten (10) days of receipt of shipment. Customer must ensure that returned products are packaged and returned in their original condition.
 - Non-defective material will incur a 20% restocking fee.
 - Special orders and discontinued items cannot be returned.
 - No credit can be issued until Greenball® Corporation inspects returned product. Credit will be issued at original invoice price only.
- Claims:** Shortage claims, error or defect in shipment must be made within 72 hours of receipt of goods. Claims for damage or loss in transit must be made directly with the carrier.
- Prices:** Prices and terms subject to change without notice.
- FedEx Special Handling Charge:** Oversized orders will be charged a \$7.00 additional handling fee from our standard rate.



WARNING

Tire Mounting can be dangerous if not done by trained personnel using proper tools and equipment. For your own safety, seller recommends that users have tires and inner tubes changed by experienced service personnel.

* Weight minimum for freight prepayment subject to change due to outside (external) influences. You may confirm minimum weight with any customer service personnel.

Greenball® Corporation strives to ensure the accuracy of all information contained in this catalog. However, misprints, inaccuracies, omissions and other errors may occur.

Greenball® Corporation does not take responsibility for any errors, misprints, omissions or any other inaccuracies found herein; including but not limited to product information, specifications or item availability.

All Greenball® brand tires are subject to continuous development and design. Greenball® Corporation reserves the right to change construction, materials, or specifications without notice or obligation.